

United States Patent and Trademark Office

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
WWV.uspto.gov

APPLICATION NUMBER FILING/RECEIPT DATE FIRST NAMED APPLICANT ATTORNEY DOCKET NUMBER

10/051,911 10/26/2001 Timo Burzel (Z) 01098 P US

M. Robert Kestenbaum 11011 Bermuda Dunes NE Albuquerque, NM 87111 CONFIRMATION NO. 8592
FORMALITIES LETTER
OC000000008420540

Date Mailed: 07/09/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
Washington, D.C. 20231
www.uspto.gov

APPLICATION NUMBER FILING DATE FIRST NAMED APPLICANT ATTY. DOCKET NO./TITLE

10/051,911

11011 Bermuda Dunes NE

M. Robert Kestenbaum

Albuquerque, NM 87111

10/26/2001

Timo Burzel

(Z) 01098 PUS

CONFIRMATION NO. 8592 WITHDRAWAL NOTICE

OC000000008420534

Date Mailed: 07/09/2002

WITHDRAWAL OF PREVIOUSLY SENT NOTICE

The Notice mailed on 03/18/2002 was sent in error and is hereby withdrawn. A corrected Notice is enclosed. The time period for reply runs from the mail date of the corrected Notice. We apologize for any inconvenience this caused.

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY